

# NIGHT RACER 50 HS1

Best price-performance ratio



#### Up to 50% more light

For better visibility and significantly shorter reaction times compared to standard halogen lamps



#### Up to 20 m longer light beam

For improved visibility and less eye strain compared to standard halogen lamps



#### Vibration resistance

Tested for the unusually high loads caused by speed and changing road surfaces



#### The motorcycle light with up to 50% more light

NIGHT RACER 50 motorcycle lamps convince with their excellent price-performance ratio. In comparison to standard halogen lamps, they emit up to 50% more light and have a 20 meters longer light beam. Thus, dangers and hazards can be seen earlier. With their vibration resistant technology, the lamps are tested under real conditions for the unusually high loads caused by speed and changing road surfaces. NIGHT RACER 50 features a modern design with a silver cap.

# Product datasheet

## Technical data

### Product information

Order reference	64185NR5
Application (Category and Product specific)	Halogen headlight lamp

### Electrical data


Power input	36.8 / 36.8 W <sup>1)</sup>
Nominal voltage	12.0 V
Nominal wattage	35/35 W
Test voltage	13.2 V

<sup>1)</sup> Maximum

### Photometrical data

Color temperature	3200 K
Luminous flux	820/520 lm
Luminous flux tolerance	±15 / ±15 %

### Dimensions & weight



Length	82.0 mm
Diameter	17.0 mm
Product weight	26.00 g

### Lifespan

Lifespan B3	75 / 150 h <sup>1)</sup>
Lifespan Tc	150 / 300 h <sup>1)</sup>

<sup>1)</sup> Filament 1 / Filament 2

### Additional product data

## Product datasheet

Base (standard designation)	PX43t
-----------------------------	-------

### Capabilities

Technology	HAL
------------	-----

### Certificates & standards

ECE category	HS1
--------------	-----

### Country specific categorizations



Order reference	64185NR5
-----------------	----------

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899929425	NIGHT RACER 50 HS1	Blister 1	135 mm x 95 mm x 51 mm	0.65 dm <sup>3</sup>	37.00 g
4052899929432	NIGHT RACER 50 HS1	Shipping carton box 10	335 mm x 115 mm x 146 mm	5.62 dm <sup>3</sup>	445.00 g
4052899933002	NIGHT RACER 50 HS1	Folding carton box 1	47 mm x 47 mm x 70 mm	0.15 dm <sup>3</sup>	34.00 g
4052899933019	NIGHT RACER 50 HS1	Bundle 10	- x - x -		
4052899933026	NIGHT RACER 50 HS1	Shipping carton box 100	485 mm x 245 mm x 156 mm	18.54 dm <sup>3</sup>	3900.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Download Data

File	
	Brochures 554669_Leaflet Motorcycle Lamps (GB)
	360 Degree Image NIGHT RACER 50 HS1 64185NR5

#### Application advice

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

## Product datasheet



# OSRAM